								Page 1 of 1	
FORM PTO	D-14	19			SERIAL NO.		10/587,8	10/587,823	
INFORMA	TIO	N DISCLOSURE ST	ATEMENT	ĺ	FILING DAT	E	Decemb	er 20, 2006	
					APPLICANT		Mercep	et al.	
					GROUP		1624		
				i	EXAMINER		N.E. Jar	N.E. Jarrell	
				- 1	ATTORNEY	DOCKET NO.		PLP537USW	
			U.S. PA	TENT DO	CUMENTS				
Examiner Initials		Patent Number	Issue Date		Name	Class	Subclass	Filing Date If Appropriate	
	1	3,711,489	Jan., 16, 1973	Lomba	rdino				
	2	3,894,032	July 8, 1975	Remy					
	3	3,974,285	Aug. 10, 1976			1		<del>                                     </del>	
	4	4,044,143	Aug. 23, 1977	Remy					
	5	4,198, 421	Apr. 15, 1980		fsky et al.				
	6	5,917,057	June 29, 1999	Hamer					
	-	3,717,037	Julie 25, 1555	Transci	ct ai.	_			
			Con	tinue on pa	age			L	
			FOREIGN	PATENT	DOCUMENTS				
	П	Document	Publication		DOCUMENT	T		Translation	
		Number	Date		Country	Class	Subclass	Yes   No	
	7	CA 967,573	May 13, 1975	CANAD		Cinas	Биненаз		
	8	WO 97/38991	Oct. 23, 1997	WIPO	71				
	9	WO 99/00355	Jan. 7, 1999	WIPO					
	10	WO 01/87890	Nov. 22, 2001	WIPO		-			
	11	WO 03/097649	Nov. 27, 2003	WIPO					
	12	WO 03/099823	Dec. 4, 2003	WIPO	-				
	13	HR 20000310	Feb. 28, 2002	CROATI		+			
	14	HR 20020453		CROATI		-		X	
	14	FIR 20020455	May 23, 2002	CKUATI	IA			X	
	-								
		OTHER DOCUM		tinue on pa					
1	5	Ackermann L., Harv their degranulation i 290:353-359.	ima 1.T. "Mast cel	ls of psori	atic and atopic d	lermatitis skin a	re positive for		
1	16 Aderka, D. "Rol		of tumor necrosis factor in the ntravascular coagulopathy of sepsis: potential new therapeutic implications." Isr. J. Med. Sei.,						
				lline plus thalidomide against septic shock in mice." Int. J. Exp.					
1:		Badger A.M. et al. "Beneficial effects of the phosphodiesterase inhibitors BRL 61063, pentoxifylline, and rolipram in a murine model of endotoxin shock." Circ. Shock 1994 44(4):188-195.							
19	,	Badger et al. "Pharmacological profile of SB 203580, a selective inhibitor of cytokine suppressive binding protein/p38 kinase, in animal models of arthritis, bone resorption, endotoxin shock and immune function." J. Pharmac Phys. Thogas. 106, 270(2):145-1461.							
20		Pharmac. Env. Therap., 1996, 279(3):1453-1461.  Becker et al. "Photochemistry of the Anthracene Chromophore: Novel Isomerization of 1-(9-Anthry)-2-Benzoethylenes." Tetrahedron Lett., 1985, 26(12):1589-1592.							
21		Bissonnette E. Y. et al. "Inhibition of tumour necrosis factor-alpha (TNF-alpha) release from mast cells by the anti-inflammatory drugs, sodium cromoglycate and nedocromil sodium." Clin. Exp. Immunol. 1995, 102:78-84.							
22	2	Bresnihan. "Treatment with recombinant human interleukin-1 receptor antagonist (fhlL-1ra) in rheumatoid arrhritis (RA); results of randomized double-blind, placebo-controlled multicenter trial." Arthrit. Rheum., 1996, 39:73.							
23			I. Sceances Acad. S	Sci., 1976.	283:683-686				
24		Cagniant. C.R. Hebd. Sceances Acad. Sci., 1976, 283:683-686  Carswell et al. "An endotoxin-induced serum factor that causes necrosis of tumors." Proc. Natl. Acad. Sci. U.S.A., 1975, 72:366-3670.							
25		Chapman P.T. et al. in vitro and in vivo s 1997, 40:955-965.	"Endothelial activa	tion in mo	onosodium urate ecrosis factor al	monohydrate ci pha and interleu	ystal-induced kin-l." Arthri	inflammation: tis Rheum.,	

	Page 1 of 2	
26	Cheung A. T. et al. "An in vivo model for elucidation of the mechanism of tumor necrosis factor-alpha (TNF-	
- 1	alpha)-induced insulin resistance: evidence for differential regulation of insulin signaling by TNF-alpha."	
	Endocrinology, 1998, 139:4928-4935.	
27	Collier et al. "The abdominal constriction response and its suppression by analgesic drugs in the mouse." Br. J. Pharmac. Chemother., 1968, 32:295-310	
28	Corral L., et al. "Differential Cytokine Modulation and T Cell Activation by Two Distinct Classes of	
	Thalidomide Analogues That are Potent Inhibitors of TNF-a." The Journal of Immunology 1999, 163:380-386.	
29	Dibbs Z, et al. "Cytokines in heart failure:pathogenetic mechanisms and potential treatment." Proc. Assoc. Am. Physicians, 1999, 111:423-428.	
30	Di Francia M. et al. "Tumor necrosis factor-alpha levels and weight loss in chronic obstructive pulmonary	
	disease." AM. J. Respir. Crit. Care Med. 1994, 150:1453-1455.	
31	Dinarello. "An update on human interleukin-1: From molecular biology to clinical relevance." J. Clinical Immunology, 1985, 5:287.	
 32	Dinarello. "Interleukin-1." Rev. Infect. Disease, 1984, 6(1):51-95.	
 33	Duong D.J. et al. "American experience with lowdose thalidomide therapy for severe cutaneous lupus	
	erythematosus." Arch. Dermatol. 1999 135 (9):1079-1087.	
 34	Egido J. et al. "Role of tumor necrosis factor-alpha in the pathogenesis of glomerular diseases." Kidney Int.	
	Suppl. 1993, 39:59-64.	
35	Elliott et al. "Randomised double-blind comparison of chimeric monoclonal antibody to tumor necrosis factor	
	alpha (cA2) versus placebo in rheumatoid arthritis." The Lancet, 1994, 344:1105-1110.	
36	M. Feldman et al. "Role of Cytokines in Rheumatoid Arthritis." Annu. Rev. Immunol. 1996 14:397-440.	
37	Fukawa et al. "A method for evaluating analgesic agents in rats." J. Pharmacol. Meth., 1980, 4:251-259.	
 38	Gauldie J. et al. "Cytokines and pulmonary fibrosis." Thorax, 1993, 48:931-935.	
39	Georgopoulos et al. "Transmembrane TNF is sufficient to induce localized tissue toxicity and chronic	
	inflammatory arthritis in transgenic mice." J. Inflamm., 1996, 46:86-97.	
40	Gruschwitz, M., et al. "In situ Expression and Serum Levels of Tumor Necrosis Factor-α Receptors in Patients with Early Stages of Systemic Sclerosis." Journal Rheumatology 1997; 24:1936-43.	
 41	Heilig, B. et al. "Elevated TNF Receptor Plasma Concentrations in Patients with Rheumatoid Arthritis."	
	Clinical Investigation 1992; 70:22-27.	
42	Heilig B et al. "[Expression of TNF receptors in rheumatoid arthritis and ankylosing spondylitis]." [Article in German]. Z Rheumatol. 1993 Nov-Dec; 52(6):383-9.	
43	Hotamisligil G.S., Spiegelman B.M. "Tumor necrosis factor alpha: a key component of the obesity-diabetes link." Diabetes, 1994, 43:1271-1278.	
44	Iyer and Gopalachari. "Studies in Potential Antifertility Agents: Part VII - Sythesis of Dialkylaminoethul Derivatives of 2,4,5Triphenylpyrroles & 2,4,5Triphenylfurans." Indian J. Chem., 1973, 11:1260-1262.	
45	Jones et al. "Antiestrogens. 2. Structure-activity studies in a series of 3-aroyl-2-arylbenzo[b]thiophene	
1.0	derivatives leading to [6-hydroxy-2-(4-hydroxyphenyl)benzo[b]thien-3-yl][4-[2-(1-piperidinyl)ethoxy]-	
	phenyl]methanone hydrochloride (L.Y156758), a remarkably effective estrogen antagonist with only minimal	
	intrinsic estrogenicity." J. Med. Chem., 1984, 27:1057-1066.	
46	Kapadia S. et al. "The role of cytokines in the failing human heart." Cardiol. Clin., 1998, 16:645-656.	
 47	King, F.D. "Bioisosteres, Conformational Restriction, and Pro-Drugs - Case History: An Example of a	
	Conformational Restriction Approach." Med. Chem: Principle and Practice (1994) p. 206-208.	
48	Kefer, et al. "Transgenic mice expressing human tumour necrosis factor: a predictive genetic model of arthritis." EMBO J., 1991, 10:4025-4031.	
 49	Kluth D.C., Rees A.J. "Inhibiting inflammatory cytokines." Semin. Nephrol. 1996, 16:576-582.	
 50	Kopicova et al. "Potential Tetracyclic Neuroleptics: 12-(4-methylpiperazino)benzo[b]naphtho[2,3-f]theipin	
	and its 12,13-dihydro Derivative," Collect, Czech, Chem. Commun., 1975.40:1960-1965.	
51	Kopicova and Protiva. "Synthesis of 7-(4-methylpiperazino)-7,8-dihydrobenzo[b]naphtho[2,1-flthiepin and of Related Compunds." Collect. Czech. Chem. Commun., 1974. 39:3147-3152.	
52	Related Computings: Context. Czech. Circlin. Commun., 1974. 39:3147-3152.  Krakauer T, Stiles BG. "Pentoxifylline inhibits superantigen-induced toxic shock and cytokine release." Clin Diagn Lab Immunol. 1999 Jul.6(4):594-8.	
53	Liedtke W. "Effective Treatment of Models of Multiple Sclerosis by Matrix Metalloproteinase Inhibitors."	
 54	An. of Neurology, 1998, Vol. 44; 35-46.  Liu J.Y. et al. "TNF-alpha receptor knockout mice are protected from the fibroproliferative effects of inhaled	
	asbestos fibers." Am. J. Pathol., 1998, 153:1839-1847.	
55	Maini R.N, Taylor P.C. "Anti-Cytokine Therapy for Rheumatoid Arthritis." Annu. Rev. Med. 2000 51:207- 229.	
56	Martel-Pelletier J., Alaaeddine N. Pelletier JP. "Cytokines and their role in the pathophysiology of ostcoarthritis." Front Biosci, 1999 4:D694-703.	
57	Mattioli and Ghia. "Omega-dialkylaminoalkyl ethers of phenyl-(5-substituted 1-phenyl-1H-pyrazol-4-yl)methanols with analgesic and anti-inflammatory activity." J. Heterocyclic Chem., 1997, 34:963-968.	
	1,7-7	

		Page 1 of 3
	58	Matsukawa A, et al. "Analysis of the Cytokine Network Among Tumor Necrosis Factor α, Interleukin-1β,
		Interleukin-8 and Interleukin-1 Receptor Antagonist in Monosodium Urate Crystal-Induced Rabbit Arthritis."
	1	Lab Invest 1998; 78:559-569.
59		McHugh et al. "Preparation of 8H-Furo[3,4-d]dibenz[b,f]azepine. A Novel Heterocyclic Ring System." J. Heterocycl. Chem., 1990, 27:1839-42.
60		Mori et al. "Photochemcial reactions of anthracene-naphtalene bichromophoric systems linked by a three-
	00	carbon chain." J. Chem. Soc., Perkin Trans. 2, 1996, 1:113-119.
61		Mori et al. "Attenuation of collagen-induced arthritis in 55-kDa TNF receptor type 1 (TNFR1)-1gG1-treated
		and TNFR1-deficient mice." J. Immunol., 1996, 157;3178-3182.
	62	Noguchi, M., et al. "Secretion Imbalance between Tumor Necrosis Factor and its inhibitor in inflammatory
	63	bowel disease." Gut 1998, 43:203-209.  Nyiondi-Bonguen et al. "[4+2] - Cycloadditions of 3-Amino-4-imino-4H-thieno[3,4-c][1]benzopyran with
	0.5	some Selected Dienophiles." J. Chem Soc., Perkin Trans. 1, 1994, 15:2191-2195.
	64	Odeh M. "Role of Cytokines in Rheumatoid Arthrits." Drugs News Perspect. II(6) 1998, 331-341.
	65	Oliver S., et al. "The Effect of Thalidomide and 2 Analogs on Collagen Induced Arthritis." Journal of
		Rheumatology 1998; 25:964-9.
	66	Peleman R.A., Kips J.C., Pauwels R.A. "Therapeutic activities of theophylline in chronic obstructive
	107	pulmonary disease." Clin. Exp. Allergy 1998 28 Supp 1. 3:53-56.  Pfeffer et al. "Mice deficient for the 55kd tumor necrosis factor receptor are resistant to endotoxic shock, yet
	67	succumb to L. monocytogenes infection." Cell, 1993, 73:457-467.
	68	Piguet P.F. et al. "Expression and localization of tumor necrosis factor-alpha and its mRNA in idiopathic
	"	pulmonary fibrosis." Am. J. Pathol. 1993, 143:651-655.
	69	Piguet P.F., Vesin C. "Treatment by human recombinant soluble TNF receptor of pulmonary fibrosis induced
		by bleomycin or silica in mice." Eur. Respire. J., 1994, 7:515-518.
	70	Reimund J. "In vitro effects of expentifylline on Inflammatory Cytokine Release in Patients with Inflammatory
	71	Bowel Disease." Gut 1997, 40;475-480.
	/1	Ross S., et al. "Suppression of TNFα Expression, Inhibition of THI Activity and Amelioration of Collagen- Induced Arthritis by Rolipram." Journal of Immunology, 1997, 159:6253-6259.
	72	Rutgeerts P. et al. "Efficacy and Safety of Retreatment with Anti-Tumor Necrosis Factor Antibody
	1 '	(Infliximab) to Maintain Remission in Crohn's Disease." Gastroenterology., 1999, 117:761-769.
	73	Sandborn W. and Hanauer S. "Antitumor Necrosis Factor Therapy for Inflammatory Bowel Disease; A review
		of Agents, Pharmacology, Clinical Results and Safety." Inflammatory Bowel Diseases 1999, 5(2):119-133.
	74	Saricaoglu H. et al. "Prevention of nickel-induced allergic contact reactions with pentoxifylline." Contact Dermatis 1998, 39(5):244-247.
	75	Sasayama S. et al. "New insights into the pathophysiological role for cytokines in heart failure." Cardiovasc
	ļ	Res. 1999, 42:557-564.
	76	Schmidt H. et al. "Thalidomide inhibits TNF response and increases survival following endotoxin injection in rats." J. Surg. Res. 1996 63(I):143-146.
	77	Schweizer et al. "Combined automated writhing/motility test for testing analgesics." Agents and Actions,
	l''	1988, 23:29-31.
	78	Shire, MG and Muller GW. "TNF-α inhibitors and rheumatoid arthritis." Exp. Opin. Ther. Patents. 1998 8(5):
		531-544.
	79	Stirling D. I. Semin. "Thalidomide and its impact in dermatology." Cutan. Med. Surg. 1998 17(4):231-242.
	80	Sykes A.P., et al. "The effect of an inhibitor of matrix metalloproteinases on colonic inflammation in a Erinitrobenzenesulphonic acid rat model of inflammatory bowel disease." Aliment Phamacol Ther. 1999,
		13:1535-1542.
	81	Taylor R. Multiple Sclerosis: A Rehabilitive Approach, 1998, 9, 3, 525-536. "Immunologic Aspects of
		Multiple Sclerosis."
	82	Tochtermann et al. Ein neuer Zugang zu chiralen Tribenzocycloheptarien-(Tribenzo-[a.c.e]cyclohepten-) und
		Tribenzo[b.d.flthiepin-S.S-dioxid-Derivaten." . Chem. Ber., 1968, 101:3122-3137.
	83	Tomizawa S. et al. "TNF inhibitory activity in the urine of chronic renal failure patients with glomerulonephritis." Nephron. 1993, 63:111-112.
	84	Tsuji et al. "Studies on Anti-Inflammatory Agents. VI. Synthesis and Pharmacological Properties of 2,3-
	"	Diarylthiophenes." Chem. Pharm. Bull., 1998, 46(2):279-286.
	85	Ueda et al. "The Synthesis of 10-(4-Methylpiperazino)dibenzo[b,flthiepin and Related Compunds. Neurotrpic
-		and Psychotropic Agents." Chem. Pharm. Bull., 1975, 23(10):2223-2231.
	86	Van Assche and Rutgeerts. "Anti-TNF agents in Chrohn's disease." Exp. Opin. Invest. Drugs, 2000, 9:103-
	87	111. Vippagunta, S.R. et al. "Crystalline solids." Advanced Drug Delivery Reviews, 2001, 48(1):3-26.
	88	Vippagunta, S.R. et al. "Crystalline solids." Advanced Drug Delivery Reviews, 2001, 48(1):3-26.  Wermuth et al. "Molecular Variations Based on Isosteric Replacements." Practice of Medicinal Chemistry,
	00	1996, pages 203-237.
	89	Westacott C.I. et al. "Tumor necrosis factor alpha can contribute to focal loss of cartilage in osteoarthritis."
		Osteoarthritis Cartilage 2000 8(3):213-221.

	Page 1 of 4			
Wim B van den Berg, Ph.D. "Anti-Cytokine Therapy in Chr	ronic Destructive Arthritis." Arthritis Res 2001,			
3:18-26.				
Postmarketing Adverse Event Data for TNF-alpha Antagonists (October 23, 2001). Stephen A. Paget, MD				
<a href="http://rheumatology.hss.edu/phys/specialreports/pagettnf.asp">http://rheumatology.hss.edu/phys/specialreports/pagettnf.asp</a>				
Green (Using TNF alpha technology to treat rheumatoid arthritis) Article (July/August 2004).				
<a href="http://rheumatology.hss.edu/phys/specialreports/pagettnf.asp">http://rheumatology.hss.edu/phys/specialreports/pagettnf.asp</a>				
Centocor products (08/11/2004) <a href="http://www.centocor.com/">http://www.centocor.com/</a>	cgi-bin/site/products/prod remicade.cgi is cited for			
the statement that>				
"News & Notices: http://www.psoriasis.org/enbrel.approval.jan02.htm (7/30/2002).				
Continue on page				
/Noble Jarrell/ (12/05/2008)	DATE CONSIDERED			
itial if citation considered, whether or not citation is in conform				
	3:18-26.  Postmarketing Adverse Event Data for TNF-alpha Antagoni- http://rheumatology.hss.edu/phys/specialreports/pagettnf.ac Green (Using TNF alpha technology to treat rheumatol art http://rheumatology.hss.edu/phys/specialreports/pagettnf.ac Centocor products (08/11/2004) <a href="http://www.centocor.com/rhetstatement that">http://www.centocor.com/rhetstatement that</a> "News & Notices: <a href="http://www.psoriasis.org/enbrel.approval">http://www.psoriasis.org/enbrel.approval</a> /Noble Jarrell/ (12/05/2008)			

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /N.J./ (12/05/2008)